

Test Report

頁數(Page): 1 of 9 號碼(No.): CE/2017/60212 日期(Date): 2017/06/07

茂沅實業有限公司

MAO YUAN HARDWARE INDUSTRIAL CO., LTD.

桃園市大園區民生路207號

NO. 207, MINSHENG ROAD, DAYUAN DISTRICT, TAOYUAN CITY 33749, TAIWAN R.O.C

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted Bv) 茂沅實業有限公司 (MAO YUAN HARDWARE INDUSTRIAL CO., LTD.)

樣品名稱(Sample Description) PP SHEET(PP板) 收件日期(Sample Receiving Date) 2017/06/01

2017/06/01 TO 2017/06/07 測試期間(Testing Period)

測試需求(Test Requested):

(1) 依據客戶指定,參考RoHS指令2011/65/EU Annex II測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚. (As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁 . (Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



號碼(No.): CE/2017/60212 日期(Date): 2017/06/07 頁數(Page): 2 of 9

Test Report

茂沅實業有限公司 MAO YUAN HARDWARE INDUSTRIAL CO., LTD.

桃園市大園區民生路207號

NO. 207, MINSHENG ROAD, DAYUAN DISTRICT, TAOYUAN CITY 33749, TAIWAN R.O.C

測試結果(Test Results)

測試部位(PART NAME)No.1 : 半透明塑膠板(TRANSLUCENT PLASTIC SHEET)

| 測試項目 (Test Items) | 單位 (Unit) | 測試方法 (Method) | 方法偵測 極限值 (MDL) | 結果 (Result) No.1 |
|---|--------------|---|----------------------|------------------------|
| 鎘 / Cadmium (Cd) | mg/kg | 參考IEC 62321-5 (2013),以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES. | 2 | n. d. |
| 鉛 / Lead (Pb) | mg/kg | 参考IEC 62321-5 (2013),以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES. | 2 | n. d. |
| 汞 / Mercury (Hg) | mg/kg | 参考IEC 62321-4 (2013),以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-4 (2013) and performed by ICP-AES. | 2 | n. d. |
| 六價鉻 / Hexavalent Chromium Cr(VI) (◆) | mg/kg | 参考IEC 62321-7-2 (2017),以UV-VIS 檢測;参考IEC 62321-5 (2013),以 ICP-AES檢測. / With reference to IEC 62321-7-2 (2017) and performed by UV-VIS.; With reference to IEC 62321-5 (2013) and performed by ICP-AES. | 8 | n. d. |
| 聚氯乙烯 / PVC | ** | 以紅外光譜分析及焰色法檢測. / Analysis was performed by FTIR and FLAME Test. | - | Negative |



號碼(No.): CE/2017/60212 日期(Date): 2017/06/07 頁數(Page): 3 of 9

Test Report

茂沅實業有限公司 MAO YUAN HARDWARE INDUSTRIAL CO., LTD. 桃園市大園區民生路207號

NO. 207, MINSHENG ROAD, DAYUAN DISTRICT, TAOYUAN CITY 33749, TAIWAN R.O.C

| 測試項目 (Test Items) | 單位 (Unit) | 測試方法 (Method) | 方法偵測 極限值 (MDL) | 結果 (Result) No.1 |
|----------------------------------|--------------|----------------------------------|----------------------|------------------------|
| 多溴聯苯總和 / Sum of PBBs | mg/kg | | _ | n. d. |
| 一溴聯苯 / Monobromobiphenyl | mg/kg | 1 [| 5 | n. d. |
| 二溴聯苯 / Dibromobiphenyl | mg/kg | 1 [| 5 | n. d. |
| 三溴聯苯 / Tribromobiphenyl | mg/kg | 1 [| 5 | n. d. |
| 四溴聯苯 / Tetrabromobiphenyl | mg/kg | 1 [| 5 | n. d. |
| 五溴聯苯 / Pentabromobiphenyl | mg/kg |] | 5 | n. d. |
| 六溴聯苯 / Hexabromobiphenyl | mg/kg | 参考IEC 62321-6 (2015),以氣相層析 | 5 | n. d. |
| 七溴聯苯 / Heptabromobiphenyl | mg/kg | | 5 | n. d. |
| 八溴聯苯 / Octabromobiphenyl | mg/kg | | 5 | n. d. |
| 九溴聯苯 / Nonabromobiphenyl | mg/kg | | 5 | n. d. |
| 十溴聯苯 / Decabromobiphenyl | mg/kg | /質譜儀檢測. / With reference to | 5 | n. d. |
| 多溴聯苯醚總和 / Sum of PBDEs | mg/kg | IEC 62321-6 (2015) and performed | - | n. d. |
| 一溴聯苯醚 / Monobromodiphenyl ether | mg/kg | by GC/MS. | 5 | n. d. |
| 二溴聯苯醚 / Dibromodiphenyl ether | mg/kg | | 5 | n. d. |
| 三溴聯苯醚 / Tribromodiphenyl ether | mg/kg | | 5 | n. d. |
| 四溴聯苯醚 / Tetrabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 五溴聯苯醚 / Pentabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 六溴聯苯醚 / Hexabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 七溴聯苯醚 / Heptabromodiphenyl ether | mg/kg | | 5 | n. d. |
| へ溴聯苯醚 / Octabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 九溴聯苯醚 / Nonabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 十溴聯苯醚 / Decabromodiphenyl ether | mg/kg | 1 | 5 | n. d. |



號碼(No.): CE/2017/60212 日期(Date): 2017/06/07

頁數(Page): 4 of 9

Test Report

茂沅實業有限公司

MAO YUAN HARDWARE INDUSTRIAL CO., LTD.

桃園市大園區民生路207號

NO. 207, MINSHENG ROAD, DAYUAN DISTRICT, TAOYUAN CITY 33749, TAIWAN R.O.C

| 測試項目 (Test Items) | 單位 (Unit) | 測試方法 (Method) | 方法偵測 極限值 (MDL) | 結果 (Result) No.1 |
|--|--------------|--|----------------------|------------------------|
| 鹵素 / Halogen | | | | |
| 鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8) | mg/kg | 参考BS EN 14582 (2016),以離子層析 儀分析. / With reference to BS EN 14582 (2016). Analysis was performed by IC. | 50 | 77. 5 |
| 鹵素(氣)/ Halogen-Chlorine(C1) (CAS No.: 22537-15-1) | mg/kg | | 50 | n. d. |
| 鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2) | mg/kg | | 50 | n. d. |
| 鹵素(碘)/ Halogen-Iodine(I)(CAS No.: 14362-44-8) | mg/kg | | 50 | n. d. |

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)

7. (�):

若鉻含量小於六價鉻之方法偵測極限值,則六價鉻為n.d.,不須再測試六價鉻。

The result of Cr(VI) is "n.d." as the result of Chromium (Cr) is less than the MDL of Cr(VI), and confirmation test of Cr(VI) is not required.

若鉻含量未小於六價鉻之方法偵測極限值,需進行六價鉻測試。

If the Chromium (Cr) content is not less than the MDL of Cr(VI), confirmation test of Cr(VI) is required.



號碼(No.): CE/2017/60212

日期(Date): 2017/06/07

頁數(Page): 5 of 9

Test Report

茂沅實業有限公司

MAO YUAN HARDWARE INDUSTRIAL CO., LTD.

桃園市大園區民生路207號

NO. 207, MINSHENG ROAD, DAYUAN DISTRICT, TAOYUAN CITY 33749, TAIWAN R.O.C


重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)

測試人員:王志瑋 / Technician: JR Wang

測試負責人:張啟興 / Supervisor: Troy Chang





Test Report

號碼(No.): CE/2017/60212 日期(Date): 2017/06/07 頁數(Page): 6 of 9


茂沅實業有限公司 MAO YUAN HARDWARE INDUSTRIAL CO., LTD. 桃園市大園區民生路207號 NO. 207, MINSHENG ROAD, DAYUAN DISTRICT, TAOYUAN CITY 33749, TAIWAN R.O.C

<u>多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE</u>

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process _ 選擇性篩檢程序 / Optional screen process •••••• 確認程序 / Confirmation process _ - - - →





Test Report


日期(Date): 2017/06/07 號碼(No.): CE/2017/60212

頁數(Page): 7 of 9

茂沅實業有限公司 MAO YUAN HARDWARE INDUSTRIAL CO., LTD. 桃園市大園區民生路207號 NO. 207, MINSHENG ROAD, DAYUAN DISTRICT, TAOYUAN CITY 33749, TAIWAN R.O.C

鹵素分析流程圖 / Analytical flow chart - Halogen

- 測試人員: 陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang





Test Report

日期(Date): 2017/06/07 號碼(No.): CE/2017/60212


頁數(Page): 8 of 9

茂沅實業有限公司 MAO YUAN HARDWARE INDUSTRIAL CO., LTD. 桃園市大園區民生路207號 NO. 207, MINSHENG ROAD, DAYUAN DISTRICT, TAOYUAN CITY 33749, TAIWAN R.O.C

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





Test Report

號碼(No.): CE/2017/60212 日期(Date): 2017/06/07

頁數(Page): 9 of 9

茂沅實業有限公司 MAO YUAN HARDWARE INDUSTRIAL CO., LTD. 桃園市大園區民生路207號

NO. 207, MINSHENG ROAD, DAYUAN DISTRICT, TAOYUAN CITY 33749, TAIWAN R.O.C

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2017/60212



** 報告結尾 (End of Report) **